


SFT compound 1 pure compound
P31CPD.qm CDC13 /opt/data Adv_Exp 2

-29.61

Current Data Parameters
NAME X_171109
EXPNO 22
PROCNO 1

F2 - Acquisition Parameters
Date_ 20171109
Time 23.02 h
INSTRUM aviii400
PROBHD Z108618_0305 (
PULPROG zgig
TD 128198
SOLVENT CDC13
NS 32
DS 2
SWH 64102.562 Hz
FIDRES 1.000056 Hz
AQ 0.9999444 sec
RG 1620
DW 7.800 usec
DE 7.13 usec
TE 300.0 K
D1 2.00000000 sec
D11 0.03000000 sec
TD0 1
SFO1 161.9958293 MHz
NUC1 31P
P1 11.30 usec
PLW1 19.05500031 W
SFO2 400.2024012 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 90.00 usec
PLW2 12.58899975 W
PLW12 0.26631001 W

F2 - Processing parameters
SI 262144
SF 162.0039290 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



1.67
0.32
0.19
2.57
0.69
1.82
1.25
0.81
2.15
2.56
0.51
1.22
1.07
0.65
1.35
0.15
1.27
0.52
0.46
1.38
0.34
3.53
1.26
7.77
1.23
1.50
3.57
0.39
1.42
0.44
1.35
2.26
2.03
1.87
1.41
0.03
1.31
0.12
0.79
0.72
1.12
0.44
0.25
1.41
0.58
0.90
0.15
0.82